

Resene ProSelect Technical Information

Resene ProSelect MIXING CHART

Ready to use products are formed by blending by volume **10 parts of Resene ProSelect Gloss/Matt Base** in any combination **plus 1 part of Cure plus 1 part of diluent** (either Water, Resene ProSelect Fast Set or Resene ProSelect XTend).

Additional Resene ProSelect components (Additives) may then be added to achieve a particular appearance or aid application properties.

Products are blended to achieve a target gloss level as in the table below. Just always remember that the Base to Cure ratio is always **10:1** and so that means that the 10 parts (of Base) can be made up with any combination of the Gloss or Matt you wish. Intermediate gloss levels (gloss levels between the finishes below) as seen in the Gloss Level Charts in Section 6.0 can be easily achieved by varying the Gloss to Matt Base mix ratios.

Mixing Ratio parts by volume

| | Gloss | Semigloss | Satin | Velvet |
|-----------------------------|-------|-----------|-------|--------|
| ProSelect - Gloss | 1000 | 900 | 600 | |
| ProSelect - Matt | | 100 | 400 | 1000 |
| ProSelect - Cure | 100 | 100 | 100 | 100 |
| ProSelect - Naturadd | | | | |
| VOC (g/L) | 60 | 60 | 59 | 56 |

| | Low Sheen | Natural Low Sheen | Ultra Matt |
|-----------------------------|-----------|-------------------|------------|
| ProSelect - Gloss | | | |
| ProSelect - Matt | 1000 | 1000 | 1000 |
| ProSelect - Cure | 100 | 100 | 100 |
| ProSelect - Naturadd | 50 | 100 | 200 |
| VOC (g/L) | 54 | 51 | 48 |

Remember that before use, Resene ProSelect **MUST** be thinned 10% with either Water, Resene ProSelect XTend or Resene ProSelect Fast Set.

ProSelect MIXING CHART

Mixing Ratio parts by volume

2K ProSelect Blending System

| | Gloss | Semigloss | Satin | Velvet | Low Sheen | Natural Low Sheen | Ultra Matt |
|----------------------|-------|-----------|-------|--------|-----------|-------------------|------------|
| ProSelect - Gloss | 1000 | 900 | 600 | | | | |
| ProSelect - Matt | | 100 | 400 | 1000 | 1000 | 1000 | 1000 |
| ProSelect - Cure | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| ProSelect - Naturadd | | | | | 50 | 100 | 200 |

VOC (g/L)

60

60

59

56

54

51

48

Before use **ProSelect** MUST be thinned 10% with either **Water**, **ProSelect Xtend** or **ProSelect Fast Set**