# Resene ProSelect V-Hold

Developed specifically for professional flooring contractors, Resene ProSelect V-Hold provides resistance to runs and sags when applying ProSelect finishes to vertical surfaces such as stair risers, balustrades etc.

# **Physical properties**

Material type:	Polyurethane thickening additive
Solvent:	Water
Finish:	Suitable for use in all Resene ProSelect finishes.
Dose Rate:	Up to 25 mL per Litre of Mixed Product
Usual no. of coats:	Can be added at any stage to the mixed product.
Cleanup:	Water or Soapy water

# **Typical uses**

 To help provide resistance to runs and sags when using Resene ProSelect on a vertical surface

# **Mixing**

For use by experienced professional applicators only.

Add when required at any time during the pot life. Mechanical stir. Do not shake. Product will thicken after addition of V-Hold. **DO NOT add more than the specified Dose Rate**.

Dose Rate: Up to 25 mL per L of mixed product.

### Clean up

Water or soapy water.

#### **Application**

Add into the mixed Resene ProSelect product and then apply with a high quality synthetic fibre brush or application pad.

#### **Precautions**

Consult the Safety Data Sheet and can labels for this product prior to use. Users should ensure that they are familiar with all aspects concerning safe use of the product. IF IN DOUBT DO NOT USE THIS PRODUCT.

#### Storage/Transport

Do not allow to freeze. Temperature during transport and or storage is required to be >5°C and  $<\!25^{\circ}\text{C}$ 

Refer to <a href="https://www.resene.com/proselect">www.resene.com/proselect</a> or the Resene ProSelect Technical Data Booklet for more detailed information.

#### Disclaimer

The information supplied is not a specification and all of the information is given in good faith. Since conditions of use are beyond the control of the manufacturer, information herein is without warranty, implied or otherwise, and final determination of the suitability of any information or material for the use contemplated, the manner of use is the sole responsibility of the user. The manufacturer does not assume any liability in connection with the use of the product relative to coverage, performance or injury.