
NB.This chart is from the Resene historical file. Please refer to current

Resene colour charts

for the latest colour options

Resene Hi-Glo latex roof paint





the Paint the Professionals use

Resene Hi-Glo latex roof paint



ALSO AVAILABLE IN WHITE

the Paint the Professionals use

* CONTAINS MICACEOUS IRON OXIDE

Resene Hi-Glo latex roof paint

Fashion colours:

Made in 8 standard colours and 15 intermixable light-fast colours.

Quick drying:

RESENE HI-GLO dries in 20 minutes. The rapid drying properties of RESENE HI-GLO enable you to paint roofs in between showers.

Surfaces:

RESENE HI-GLO may be brushed or sprayed directly on to roofs of corrugated iron, asbestos cement, concrete, bituminous fabric, and previously painted surfaces in sound condition. It may also be applied to concrete roof tiles under certain conditions.

RESENE HI-GLO can be applied to structural steel provided it has been primed with RESENE H.D. 441 PRIMER.

the Paint the Professionals use

Use the paint the professionals use, for the reasons that they prefer it: because Resene goes on so easily, smooth and drag-free in application... because it provides better coverage... because of its unlimited range of beautiful colours... because of the long, long life that you can expect from Resene Paint.

Resene C.B.S. Concrete Block Sealer.

The paint that fills the voids, waterproofs and decorates in two applications.

C.B.S. will waterproof concrete blocks where normal paint will not.

Viniseal Wallpaper varnish.

Easy to use, quick drying, latex varnish, available in flat or glaze. Makes wallpaper washable.

Resene Timber Stain A natural wood finish.

For staining and waterproofing timber – available in Redwood, Cedar, Amber, Black and special colours.

Stipplecote Cement Based paint.

An original cement based paint for all interior and exterior cementitious surfaces. Available in 8 standard colours.

Resene Matt Latex The paint for wallpaper

Exterior and interior latex paint for concrete, stucco, asbestos, cement, brick and interior wallboards, timber and wallpapers. Requires no undercoat. (Quick drying). Available in 35 standard colours plus the 101 B.S.S. colour range (Brushes wash out in water).

Resene Semi Gloss The paint for concrete

Exterior and interior latex paint for concrete, asbestos, cement, brick and interior wallboards, timber and wallpapers.

Dries to an even luxurious matt finish.

Requires no undercoat, and dries in 20 minutes. Available in 30 colours, plus the 101 B.S.S. colour

range. (Brushes wash out in water.)

Ask to see the Resene British Standard Specification 101 colour range.

STIPPLECOTE PRODUCTS LIMITED
GOUGH ST., LOWER HUTT. P.O. BOX 36-006 PHONE 697-114
(AUCKLAND, CHRISTCHURCH, DUNEDIN)