N.B.

This chart is from the Resene historical file.

Please refer to current Resene colour charts for the latest colour options.






exterior and interior

SEMI·GLOSS

THE ORIGINAL AND STILL THE LEADING LATEX PAINT!

RESENE EXTERIOR and INTERIOR SEMI-GLOSS LATEX FOR ARCHITECTURAL AND PROFESSIONAL FINISHES





PROFESSIONALLY PROVEN...

For Protection







For Decoration



RESENE

SEMI-GLOSS

EXTERIOR-INTERIOR LATEX PAINT

Resene is the longest established latex paint on the New Zealand market. Resene Semi-Gloss requires no sealer or undercoat. Two coats of Resene Semi-Gloss will give full coverage and lasting protection.

Where to Use

Outside

Resene Semi-Gloss may be used on the following surfaces:

Concrete, brickwork, concrete blocks, asbestos cement, plaster and other masonry surfaces.

Inside

Resene Semi-Gloss may be used on the following surfaces:

Concrete, brickwork, concrete blocks, asbestos cement, cement plaster, gibralter board, fibrous plaster, woodwork, wallpaper.

Coverage

Resene Semi-Gloss covers approx. 400 to 600 square feet per gallon.

Application

Resene Semi-Gloss can be applied by brush, roller, or spray, and all can be washed in water.

Also in Satin Finish

The colours shown on this chart can be supplied also in Resene Satin Finish, where a flat finish is desired.

Special Colours

We offer a same-day service for special factory-mixed colours. We can match to any desired shade in minimum quantities of one gallon at no extra charge.

COMPANION PRODUCTS:

Resene Interior Satin Finish Resene Hi-Glo Latex House Paint Stipplecote Cement Paint

Skyline Super-Gloss Enamel Resene Hi-Glo Latex Roof Paint Winiseal Wallpaper Varnishes

P.O. BOX 36-006

STIPPLECOTE PRODUCTS LTD.

GOUGH STREET. SEAVIEW LOWER HUTT MOERA, LOWER HUTT