https://www.resene.co.nz/colour-charts.htm

NB: This chart is from the Resene historical file. Please refer to current Resene colour charts for the latest colour options.



We know choosing just the right colours for your project can be tricky.

To make it easier we've gathered together many of our favourites in this collection. We've also included popular Resene whites and neutrals so you can create the perfect colour scheme for your place.

If you need help choosing your favourites, our friendly Resene staff are happy to help you with your colour choices.

These colours are loved by many decorators already and we hope they will help you create a look you love.

Happy decorating!

Top colour tips

- 1. Gather together a scrapbook or Pinterest board of colours and looks you like and take this with you when you are visiting stores and making choices - it will help shop staff make recommendations.
- 2. Always choose the surfaces that have the least choice first such as your carpet, flooring, benchtop and roof colour - then choose your Resene paint colours.
- 3. If you think a colour you are looking at on a Resene colour chart may be too dark for your interior, choose a lighter colour. Colours will look more intense when they are painted onto a larger indoor area.
- 5. Colour can have a huge impact on how a room feels. Warm up a cool room by painting it in warm colours such as creams and reds. Or cool down a hot room by painting it soothing blues and greens.
- 6. If you're opting for a neutral colour scheme, choose a colour family and then vary the strength from full to double, and quarter to half strength. This will help to add extra interest to the colour scheme. The Resene whites and neutrals collection has up to six strengths of each colour and is an easy way to get started on a
- 7. Ceilings get less light than walls so the same colour on a ceiling will look darker than on a wall. Choose a half or quarter strength of your Resene wall colour if you want your ceiling to look the same strength or lighter than your wall.
- 8. Lighting will affect your paint colours so it's important to plan your lighting at the same time. Paint a piece of A2 card with two coats from a Resene testpot and move it around the room to see how the colour changes during the day and
- 9. Think about the sheen level. Glossy finishes will make colours look brighter and cleaner. Flat and textured finishes will make colours seem muddler and deeper. Popular sheen level options for interiors are low sheen for walls, such as Resene SpaceCote Low Sheen or Resene Zylone Sheen, semi-gloss for trims and joinery,

such as Resene Lustacryl, and flat finishes for ceilings, such as Resene SpaceCote Flat. Popular sheen level options for exteriors are semi-gloss or low sheen for wall areas, such as Resene Sonyx 101 (semi-gloss) or Resene Lumbersider (low sheen), semi-gloss for trims, such as Resene Lustacryl, and satin or semi-gloss for roofs, such as Resene Summit Roof.

10. View large A4 drawdown paint swatches of your favourite colours in the colour library at your local Resene ColorShop or reseller to help you imagine how they will look once painted. View as individual colours and together as your complete

Choosing the colour is only half of the job. You also need to choose the right 4. When painting outside, the opposite rule applies - if in doubt, choose a darker
Resene colour as the sun will make the colour seem lighter.

A when painting outside, the opposite rule applies - if in doubt, choose a darker
Resene paint so your colour works well and looks good for many years to come.

Use paint technology and colour smartly - for example outside choose a Resene Use paint technology and colour smartly - for example outside choose a Resene CoolColour™ for darker colours to reflect more heat and keep the paint cooler.

Top testpot tip

When using a Resene testpot, always paint all of the testpot (two coats) onto a large piece of A2 card leaving a border around the edge. Move it around the room or exterior during the day and night to see how it looks. The border will help you see the true colour and not be distracted by the existing colours.

When choosing an interior colour scheme, roll the painted sample so the colour is innermost and look down into it. This will give you an idea of how the colour will look if it is used on all walls.

It's best to take the time to experiment and use the range of tools and experience that Resene has to offer to help make your colour choices. Resene staff can provide colour, paint and application assistance in store, on site (selected areas) or ask our experts online resene.com/colourexpert or resene.com/techexpert.

Enjoy the Resene Promise of Quality Guarantee



Enjoy the Resene Promise of Quality Guarantee on a wide range of Resene premium paints. See your Resene ColorShop, reseller or the Resene website for a copy.

Colour		Colour code	Tone	Approx	RGB	Colour		Colour code		Approx LRV%	RGB	Key: D = Deep G = Green L = Light
				91	245 244 241	Karaka* os rankai		G31-010-106	G	7	76 76 70	M = Mid MG = Magenta MI = Mid gre O = Ochre P = Pastel RO = Red oxio
Allabaster (Cotton Wool, Eighth See Fog)	20	N96-006-099 Y61-022-084	W	29	159 148 133	Merino (2scws)	cc	Y91-009-076	W	78	232 228 222	RR = Rich red U = Ultra deep W = White
Arrawtown			L	56	201 199 182		1/22	G31-010-167	G	6	66 75 71	cc = Also available as a Resene CoolColour™.
Aspiring		G80-023-101	W	-		Midnight Moss				35	150 159 169	A change in tone or product may be required
Biscotti	cc	Y84-026-074	W	64	224 207 189	Neutral Bay		866-014-259	W		87 95 102	some colours to achieve a Resene CoolColour effect. CoolColour and standard variants of
Black White		N93-005-100	W	84	235 233 229	New Denim Blue* (CS New Denim Blue)	CC	839-012-250	101	11		specific colour use different pigment combination
Blanc		Y88-015-078	W	73	228 218 207	Ottoman		G89-013-129	W	73	219 223 214	by necessity to achieve a match to the same Rese
Breathless		B84-011-257	W	65	203 212 220	Paddock* (CB Pale Excelors, CS Met Green)		G56-028-117	M/MI	24	133 138 120	master colour standard. This can cause slight colo
Breeze	CC	G85-010-197	W	66	201 213 213	Palm Green	-	G34-023-164	G	8	64 82 76	differences depending on the degree and type light, which naturally varies with the time of day
Bright Red (Chars, Vermillon)		R44-148-034	RR	14	191 63 52	Pavlova	CC	Y77-038-083	P	51	204 186 160	
		BR70-026-074	P	40	184 167 152	Pearl Lusta		Y94-018-087	W	86	242 234 220	uc = An undercoat is recommended for t
Brown Pod Booking Clossiate Bravnik, Deep Clossiate)			U	6	90 69 63	Permanent Green* (CS Permanent Green)	CC	G37-031-154	G	9	75 98 86	optimum finish.
Bunting		B32-030-265	U	7	60 79 98	Pioneer Red* (CS Ranear Red)		R39-075-033	ROVU	11	141 75 64	
Canterbury Clay		BR78-045-078	P	53	214 190 159	Pohutukawa	uc	R36-087-023	MG	9	137 60 63	Note 1: The approximate light reflectance va (LRV) of a colour indicates the amount of visi
Chicago		N49-005-116		16	110 111 107	Poppy		R43-133-032	RR	13	178 57 53	light that a colour will reflect. Black has a lic
Coast* (CB Deep Ocean, CS Storm Blue)	77	B35-023-248	D/MI	10	75 89 99	Putty	CC	Y78-066-079	L	53	220 187 142	reflectance value of 0% and absorbs all light. 1
Cobblestone	CC	G58-012-097	L	26	143 140 131	Quarter Duck Egg Blue		N88-004-146	W	72	219 221 220	surfaces are consequently very dark and can
Cut Glass		B85-012-208	W	72	208 224 227	Redwood		R38-041-036	0	10	120 85 76	very hot. In contrast, white has a light reflectar value of 100% and keeps a building light and co
Dark Knight		B31-014-247	D	6	64 76 84	Regent Grey	CC	B62-011-233	W	30	139 148 154	All colours fit within these two extremes. A Rese
Desperado		043-074-043	0	13	145 87 69	Rice Cake		G94-010-092	W	85	239 235 227	CoolColour TM is formulated to reflect more of t
Domino	CC	BR49-024-061	M	18	132 114 103	Rivergum* (CB Wilderness, CS Rivergum)		G47-022-138	D/MI	19	114 123 109	sun's energy, improving the colour's heat and to
Duck Egg Blue		N81-007-166	W	58	196 203 200	Sambuca	CC	BR32-018-058	G	7	88 74 66	solar reflectance (TSRO properties compared to normal colour, keeping the coating, substrate a
Dune	CC	N44-006-089	M	14	105 103 100	Scarpa Flow	CC	N55-002-289	P	22	129 129 132	building cooler.
Dusted Blue	CC	B72-011-221	W	43	165 176 179	Scoria* (cs scorie)	00	R36-049-033	ROVU	9	117 76 70	Note 2: Mid to dark colours are not suitable
Dusted Grey	CC	N80-008-098	W	47	185 183 177	Scotch Mist		Y94-027-087	W	84	247 233 212	some exterior substrates and if used may cau
Eagle		G75-021-093	P	49	190 184 168	Sea Fog (Cavanic, Hint of Grey)		N92-005-100	W	81	233 231 227	damage to the substrate, such as warping, check
Flax	CC	G61-033-104	L	29	152 150 126	Secrets	CC	G84-013-114	W	65	211 211 201	and premature failure. Always check with a substrate supplier prior to commencing any work
Forest Green	CC	G37-022-140	G	9	80 91 78	Settlement* (cs pune)	CC	BR70-014-075	W	39	175 167 159	ensure colour selections fit within their guidelin
Green Spring		G77-019-115	W	51	189 192 187	Shark	CC	N34-007-264	M	8	78 82 86	Resene also manufactures Resene CoolColi
Grey Nickel	CC	G80-011-093	W	56	200 196 187	Silver Sand	CC	N80-006-102	W	57	202 201 196	technology and this may increase the colour ran
Gull Grey (Quarter Regent Grey)	CC	N75-008-229	W	48	178 186 189	Sisal	CC	Y80-027-081	W	56	207 195 177	that can be suitable over some heat sensit substrates - refer Resene for further information.
Half Duck Egg Blue	-	N85-005-175	W	66	207 213 211	Solitude		B94-011-264	W	83	228 236 245	Note 3: Tones listed are subject to change
Half Spanish White		Y91-020-082	W	78	236 227 213	Soothe	CC	BR81-014-041	W	58	215 197 194	colours are reformulated.
Half Tea (Acropolis)	cc	Y85-015-083	W	65	217 210 199	Spanish Green		G64-021-136	L	33	149 159 145	Note 4: Colours with () around them
Hammerhead		B48-023-268	L	17	102 113 128	Thorndon Cream (Subservine)	100	Y87-016-090	W	71	223 217 206	alternative names for this colour.
Haven	77.	G74-014-143	W	47	177 185 177	Twizel* (Cs Terracotta)		051-083-050	D	20	170 111 87	Note 5: Colours may be available in select
Indian Ink		B26-017-270	Ü	5	58 65 76	White Pointer	ce	N89-007-087	W	72	225 221 215	products or sizes only. Check with Resene ColorSI
Inside Back		G66-009-165	p	36	154 162 159	Wood Bark		BR30-013-056	0	6	80 72 67	or Reseller staff to ensure your selected colour available in the product and/or size you require.
Jumbo		N64-001-095	W	32	154 153 153	Trovo Suin	-40			-	20 15 01	eveneure in the product and/or size you require.

Jumbo cc N64-001-095 W 32 154 153 153

Remember you only get authentic Resene colours when you use Resene tinters in Resene paint bases. Resene decorative tinters with no added VOCs and the true Resene colour formulations are unique and only available from Resene. So make sure you insist on genuine Resene products and tinters for your project.

Available in the product price match is required we recommend you check your choice motion against the actual sample of the product price product price product price product price product price in purchasing. COLORBONDO is a registered trademark of Bluescope Steel Limited.

COLORSTEL® colours marked with * have been matched to the equivalent COLORBONDO or COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with * have been matched to the equivalent COLORSTEL® colours marked with

www.resene.com.au

plantations. Printed using vegetable-based inks. Please recycle.

www.resene.co.nz

the paint the professionals use

© Copyright Resene Paints Ltd, June 2018. Accurate reproduction of the colours shown in this colour range is only available using genuine Resene premium products, tinters and formulations. These are not available from other manufacturers or retailers. Unauthorised use of Resene colours and colour names breaches Resene's copyright and trademark rights. Colours may appear to vary with different gloss levels, lighting, substrate texture and application method and technique. Always try a Resene testpot or view a large physical colour sample before making your final choice. Printed on environmentally responsible paper produced in an ISO14001 (Environmental Management System) accredited mill, from Elemental Chlorine Free (ECF) pulp sourced from sustainable forests and

Colour chip isolator

Detach and place over selected colour to view your choice on a neutral background without it being affected by surrounding colours.

Deciphering colours

The Resene Total Colour System codes allow you to make direct comparisons between colours.



iding cooler. the 2: Mid to dark colours are not suitable for ne exterior substrates and if used may cause mage to the substrate, such as warping, checking of premature failure. Always check with the software supplier prior to commencing any work to have colour selections fit within their guidelines, seen also manufactures. Resene Cool/Colour hinology and this may increase the colour range of can be suitable over some heat sensitive schales - refer Resene for further information. the 3th Tones (Estad are subject to chappe If te 3: Tones listed are subject to change if ours are reformulated.

Note 7: This colour chart is finished with Resene SpaceCote. Low Sheen, waterborne enamel, a product ideally suited to kitchens, bathrooms and

Luminance:

B = Blue

G = Green

M = Metallic N = Neutral

The higher the number the lighter the colour. 0 is approximately black and 100 is approximately white.

This is handy when you are comparing two colours and wish to choose a lighter or darker option.

colour such as a bright yellow. The higher the number the greater the saturation and the cleaner (more pure)

Greyness/Saturation:

the colour is. This is handy to know how bright or clean a colour is or how dusty it may

This tells you the saturation or purity of the colour. 0 is neutral grey, black or

white. A high number will be a bright

Colour wheel position:

This tells you where the colour sits on a wheel of colour, from 0-360 degrees. This sorts colours into colour types such as red, yellow etc.

This is handy when choosing colours to see which ones are close together on the colour wheel and which ones are further away.

Shark™cc	N34-007-264	Indian Ink™cc	B26-017-270	Dark Knight™cc	B31-014-247	Palm Green™cc	G34-023-164	Midnight Moss™	cc G31-010-167	Karaka™cc	G31-010-106	Woo	ood Bark™cc	BR30-013-056	Desperado™cc	043-074-043	Bright Red TM	R44-148-034	White Pointer™cc	N89-007-087	Sea Fog™ (Caramic, Hint of Grey)	N92-00
New Denim Blue™cc	B39-012-250	Bunting™cc	B32-030-265	Coast™cc	B35-023-248	Permanent Gre	en™cc G37-031-154	Forest Green™cc	G37-022-140	Dune™cc	N44-006-089	Sam	mbuca™cc	BR32-018-058	Twizel™	051-083-050	Poppy™	R43-133-032	Black White™	N93-005-100	Alabaster TM (Cotton Wool, Eighth Ser	N96-00
Chicago™cc	N49-005-116	Hammerhead™cc	B48-023-268	Regent Grey™cc	B62-011-233	Inside Back™cc	G66-009-165	Rivergum™cc	G47-022-138	Cobblestone™cc	G58-012-097	Brot (Root)	own Pod™cc deg Chocolate Brownie, Deep (BR30-029-042 Chocolate)	Putty™cc	Y78-066-079	Pohutukawa™uc	R36-087-023				
Scarpa Flow™cc	N55-002-289	Neutral Bay™cc	B66-014-259	Dusted Blue™cc	B72-011-221	Spanish Green ¹¹	¹ cc G64-021-136	Paddock™cc	G56-028-117	Arrowtown™cc	Y61-022-084	Don	mino™cc	BR49-024-061	Pavlova™cc	Y77-038-083	Pioneer Red™	R39-075-033	Half Spanish White	^{2™} Y91-020-082	Sisal™cc	Y80-02
Jumbo™cc	N64-001-095	Gull Grey TM CC Quarter Regent Grey)	N75-008-229	Duck Egg Blue™	N81-007-166	Haven™cc	G74-014-143	Flax™cc	G61-033-104	Eagle™	G75-021-093	Sett	tlement™cc	BR70-014-075	Canterbury Clay™	4cc BR78-045-078	Scoria™cc	R36-049-033	Pearl Lusta™	Y94-018-087	Half Tea™cc (Acropoles)	Y85-01
Dusted Grey™cc	N80-008-098	Breathless™cc	B84-011-257	Half Duck Egg Blue™	N85-005-175	Breeze™cc	G85-010-197	Green Spring™	G77-019-115	Aspiring™cc	G80-023-101	Bron	onco™cc	BR70-026-074	Biscotti™cc	Y84-026-074	Redwood™cc	R38-041-036	Blanc™cc	Y88-015-078	Thorndon Crea	am™ Y87-01
Silver Sand™cc	N80-006-102	Solitude™	B94-011-264	Quarter Duck Egg Blue ¹	™ N88-004-146	Cut Glass™	885-012-208	Ottoman™	G89-013-129	Secrets™cc	G84-013-114	Greg	ey Nickel™cc	G80-011-093	Scotch Mist™	Y94-027-087	Soothe [™] cc	BR81-014-041	Merino TM (Zinc White)	Y91-009-076	Rice Cake™	G94-01